WATER WEEDS

Guide to Aquatic Weeds in King County











Department of Natural Resources and Parks Water and Land Resources Division

Noxious Weed Control Program 206-477-9333 TTY Relay:711

Cover photos:

Brazilian elodea on boat motor (center) Floating primrose-willow (top right) Purple loosestrife (lower right) Parrotfeather (line drawing, lower left)

CONTENTS

INTRODUCTION

What are aquatic noxious weeds?	3	
Impacts of invasive aquatic weeds		
How to use this guide	4	
What can we do about aquatic noxious weeds?		
What should I do if I find an aquatic noxious weed?	5	
What does the state noxious weed law require when it comes to aquatic noxious weeds?	5	
How do I know which weeds have to be controlled?		
How do I find out more about permit requirements for aquatic weed control? 6		
What help does the county provide for aquatic noxious weed control?		
WEED IDENTIFICATION PAGES		
EMERGENT		
Common Reed (Phragmites australis)	7	
Cordgrasses (Spartina alterniflora, S. anglica, S. densiflora, S. patens)	8	
Flowering Rush (Butomus umbellatus)	9	
Garden Loosestrife Loosestrife (Lysimachia vulgaris)	10	
Hairy Willowherb (Epilobium hirsutum)	11	
Purple Loosestrife (Lythrum salicaria)	12	
Reed Canarygrass (Phalaris arundinacea)	13	
Reed Sweetgrass (Glyceria maxima)	14	
Yellow Flag Iris (Iris pseudacorus)	15	
FLOATING MAT		
Floating Primrose-willow and Water Primrose (Ludwigia peploides,		
L. hexapetala)	16	
Parrotfeather (Myriophyllum aquaticum)	17	
FLOATING LEAF		
Fragrant Water Lily (Nymphaea odorata)	18	
Yellow Floating Heart (Nymphoides peltata)	19	
SUBMERGED		
Brazilian Elodea (Egeria densa)	20	
Eurasian Watermilfoil (Myriophyllum spicatum)	21	
Fanwort (Cabomba caroliniana)	22	
Hydrilla (Hydrilla verticillata)	23	
· · · · · · · · · · · · · · · · · · ·		
What services does the county weed program provide to county residents?		
What can property owners do?		
Resources for additional information	25	
"The Quarantine List" (Wetland and aquatic plants whose sales are	26	
prohibited in Washington State)		
Index	2/	
To see the complete King County noxious weed list,		

visit www.kingcounty.gov/weeds

PUBLICATION DATE: June 2013

PRODUCTION CREDITS:

Content: Sasha Shaw and Katie Messick, King County Noxious Weed Control Program

Design: Sandra Kraus, King County IT GIS, Visual Communications & Web Group

Photographs: most provided by King County staff and the Washington State

Noxious Weed Board, except where indicated.

This information is available in alternate formats. Call 206-477-9333 or TTY: 711

Printed on recycled paper. Please recycle. File name: 1306_3264_AquaticWeedGuide.indd skrau

What are aquatic plants?

Plants that grow in water are called aquatic plants. They grow in a variety of forms. Emergent plants are rooted in the soil and grow along shorelines, floating plants grow



in shallow to deep water and either have floating leaves or form floating mats on the surface of the water, and submerged plants grow mostly under water. Many native aquatic plants grow in Washington, and they are very beneficial to the environment and generally do not cause significant problems. These native aquatic plants developed in the area naturally and usually are kept in check by natural controls such as herbivores, insects and other plants. Native aquatic plants provide food and habitat for fish, birds, and other wildlife. They protect shorelines from erosion and often clean pollution from the water.

What are aquatic noxious weeds?

When aquatic plants are introduced to a new area without the natural checks and balances of their home waters, they can sometimes grow out of control, creating dense monocultures and overwhelming lakes and streams. This guide describes some of these invasive, non-native aquatic plants that have been introduced to Washington's water bodies (accidentally or as garden plants). They are all highly aggressive and create significant ecological and economic damage when they are not controlled. These invasive, non-native aquatic plants are called noxious weeds when they are identified by the Washington State Noxious Weed Board as having a significant negative impact on the state's natural and economic resources.

Impacts of invasive aquatic weeds:

- loss of native plants
- disruption of fish and wildlife habitat
- damage to commercial and sport fishing
- reduced recreational activities like boating and swimming
- clogged irrigation and drinking water structures
- decreased water quality



WATER WEEDS: Guide to Aquatic Weeds in King County

How to use this guide

This guide describes 21 aquatic noxious weeds on the Washington State Noxious Weed List to look out for in King County. The weeds are grouped by growth form: emergent, floating mat, floating leaves, and submerged. Many of the weeds in this guide are already



widespread in King County, but some of them have only been found in a few locations or only in nearby counties. The guide does not include any native aquatic plants, some of which closely resemble these weeds. If you find a plant that looks like one of the weeds in this guide, we suggest you consult the more detailed references listed at the back of this guide or ask an expert for help with getting a positive identification.

What can we do about aquatic noxious weeds?

Everyone can help prevent new introductions by cleaning boats, trailers and other equipment, by never dumping aquariums into lakes and creeks, and by not planting invasive aquatic plants. Also, early detection of an invasive aquatic weed greatly increases the opportunity for preventing damage. If you find an aquatic noxious weed in a new area, it is important that the responsible agency or landowner is alerted as soon as possible, while there is still a chance to stop its spread. Even when invasive weeds are already widely established in a water body, it is still possible to reduce their impact and contain their spread. For instance, it can help to remove seed heads before they mature or to contain the weed by controlling new satellite populations.

What should I do if I find an aquatic noxious weed?

Mark the location of the plant with a weighted buoy if it's in the water, or a flagged stake if it's on the shore, and carefully collect a specimen including stems, leaves and any flowers or seed pods. Place the specimen in a sealed container with water and store in a cool, dark place. Contact the King County Noxious Weed Control Program at 206-477-9333 to make arrangements for getting the specimen identified. If this is not possible, contact the weed program and we can help determine if a site visit is needed to identify the plant.



What does the State Noxious Weed Law require when it comes to aquatic noxious weeds?

Washington's noxious weed law (RCW 17.10) requires property owners to control and stop the spread of designated noxious weeds on their property, including both aquatic and non-aquatic noxious weeds. The law applies equally to private and public property. However, this requirement does not include noxious weeds that are widespread in the state or the county, but only those weeds that the state weed board believes there is still an opportunity to eradicate from all or part of the state. The noxious weeds are classified by distribution: Class A weeds are the highest priority statewide because they are highly limited in distribution, Class B weeds have a split distribution and control is required only where they are not already widespread, and Class C weeds are the most widespread and their control is typically not required, although recommended where possible.

How do I know which weeds have to be controlled?

The King County and Washington State noxious weed lists are available online at **www.kingcounty.**



gov/weeds or by contacting the King County Noxious Weed Control Program at **206-477-9333**. In this guide, the weed classification and any control requirement is provided for each weed described.

How do I find out more about permit requirements for aquatic weed control?

Since aquatic plants are by definition growing in an easily disturbed, sensitive environment, any work done to remove them is regulated by state and local laws. In order to do any noxious weed removal



in water, you need at minimum a pamphlet Hydraulic Project Approval (HPA) permit from the Washington Department of Fish and Wildlife, which is available free of charge from this Web site: http://wdfw.wa.gov/licensing/aquatic_plant_removal/, or by calling 360-902-2534. Other permits from state and local agencies may be required for work involving bottom barriers, mechanical equipment or herbicides. Rules regarding aquatic herbicide use are administered by the Washington Department of Ecology and the Washington Department of Agriculture. For assistance, contact the King County Noxious Weed Control Program at 206-477-9333 or noxious.weeds@kingcounty.gov, the Washington State Department of Regulatory Assistance at 800-917-0043 or assistance@ora.wa.gov, and/or your local city government permitting office.

What help does the county provide for aquatic noxious weed control?

The King County Noxious Weed Control Program is available to provide information and advice on identification and control methods for aquatic weeds and to guide property owners through the complex permit regulations that exist when working in aquatic environments. In addition, because of the challenges involved with controlling aquatic weeds, the noxious weed program will help landowners find out about additional resources and may be able to provide direct assistance in some cases for the highest priority aquatic weeds. Call the program for more information at 206-477-9333 or email us at noxious.weeds@kingcounty.gov.

Common Reed *Phragmites australis*

Identification: 12 foot tall clone-forming grass with large feathery flower head and stiff blue-green leaves. Easiest to recognize when it reaches full height in July.

Impacts: Dense, tall growth excludes all other vegetation, dramatically reducing habitat value of shorelines and access to water



Habitat: Freshwater and brackish wetlands and river corridors. There is a large infestation along the Duwamish River in Seattle, with smaller infestations in a few other spots, including along the Sammamish River and in Union Bay.

Control: Not realistic to control by hand due to six foot deep rhizome mass. Prevent seed production by cutting before seeds mature. A licensed aquatic herbicide applicator can spray actively growing plants with a systemic non-selective aquatic herbicide. Most effective when flowers are first forming.

Look-alikes: Pampas grass is also tall with feathery plumes, but doesn't grow in wetlands and forms clumps rather than large clones. Reed canarygrass is similar but not as tall, more yellow-green in color, and lacks the feathery plumes.

Legal Status: Class B, control required in King County.





Cordgrasses

Spartina alterniflora, S. anglica, S. densiflora, S. patens

Identification: These four grasses begin by forming circular patches at the upper edge of tidelands and then spread out to create dense singlespecies stands covering the mudflats. All cordgrasses have fringed ligules (found at base of leaf where it attaches to stem).



Impacts: Species of spartina can drastically change the nature of Pacific Northwest tidelands, obliterating mudflats that are critical for oysters and other shellfish as well as important habitat for migratory birds.

Habitat: Mudflats, saltwater marshes and estuaries. Common cordgrass (*Spartina anglica*) was found on Vashon Island beaches several years ago but appears to be eradicated. Look for cordgrasses on beaches around Puget Sound.

Control: Pull seedlings and dig out small clumps, removing all the roots and rhizomes. For larger infestations, contact the King County Noxious Weed Control Program. Herbicide should only be applied by a licensed aquatic herbicide applicator.

Look-alikes: Other beach grasses. The Spartina species are the only salt-tolerant grasses that have a ligule-like a fringe of hairs.

Legal Status: Class A, eradication required in King County.







Flowering Rush Butomus umbellatus

Identification: Emergent form has stiff leaves up to six feet tall that are triangular in cross-section and twist at the tips; submerged form has long ribbon-like, limp leaves that float on the water's surface. Distinctive light pink flowers in umbrella-like clusters atop round stalks. Only blooms sporadically



and is difficult to identify without flowers. Blooms June through August.

Impacts: Crowds out native wetland and shoreline vegetation. Interferes with boat propellers, swimming and fishing.

Habitat: Freshwater lakes, ditches, sloughs and wetlands. Emergent in saturated soil or shallow water, and submerged in water up to nine feet deep. Not known to be in King County.

Control: Carefully dig small infestations, making sure to remove all plant parts (spreads vegetatively). Herbicide should only be applied by a licensed aquatic herbicide applicator. If you think you have flowering rush, contact the King County Noxious Weed Control Program for verification.

Look-alikes: Several native aquatic plants have ribbon-like underwater

leaves, including species of bur-reed (Sparganium spp.), water-plantain (Alisma spp.) and arrowhead or duck-potato (Sagittaria spp.) Sedge species (Carex spp. or Scirpus spp.) and giant bur-reed (Sparganium eurycarpum) may have leaves that are triangular in cross-section.

Legal Status: Class A, eradication required in King County.



All photos by Ben Legler

Garden Loosestrife Lysimachia vulgaris

Identification: Tall perennial wetland plant with showy bunches of five-petalled yellow flowers. Leaves often in whorls of three and usually have tiny black or orange dots on the underside visible with magnification. Blooms mid July through August. Difficult to spot when not in bloom.





Impacts: Very aggressive plant

outcompetes even hardy natives such as cattails. Crowds out native plants, has little habitat value for native animals and fills in shallow waterways.

Habitat: Wetlands, stream and river corridors, lake margins, ditches, in shallow water or saturated soil. On Lake Washington, Lake Sammamish, Lake Burien, the Sammamish, Snoqualmie and Raging Rivers, and some associated wetlands. Not known elsewhere in King County.

Control: Very difficult to control by hand. At minimum cut the plants at base to prevent seed formation. Dig up small infestations, try to get all the roots. Herbicide should only be applied by a licensed aquatic herbicide applicator unless the plants are growing away from the water. Discard plants in garbage, not vard waste.











Hairy Willowherb Epilobium hirsutum

Identification: Tall, wetland-dwelling relative of the native plant fireweed. Showy magenta flowers and long skinny seed-pods that burst open to release fluffy white seeds. Stems and leaves covered with soft hairs. Flowers have four notched petals and a white center. Leaves opposite, lance-shaped and toothed along the



edges. Rhizomes thick and spreading. Flowers in July and August.

Impacts: Pushes out native wetland plants, can grow densely enough to impede water flow, spreads easily to undisturbed wetlands.

Habitat: Places with wet or moist soil, including pastures, meadows, wetlands, streambanks and lakeshores. Can also spread into drier areas.

Control: Dig out small infestations, being careful to get all the roots. Mature plants can be cut off at the base to prevent seed production.

Mowing does not work and may spread the infestation. Herbicide should only be applied by a licensed aquatic herbicide applicator unless the plants are growing away from the water. Discard plants in garbage, not yard waste.

Look-alikes: Native fireweed (*Epilobium angustifolium*) is not hairy. Purple

loosestrife (*Lythrum* salicaria) is found in the same habitats, but has a square stem, smoothedged leaves and flowers with five petals.

Legal Status: Class B, control required in King County.





Purple Loosestrife Lythrum salicaria

Identification: Tall perennial wetland plant with showy, compact spikes of magenta flowers. Stem is square and leaves are opposite, smooth edged and narrow. Blooms mid-July through August.

Impacts: Has up to 2.5 million seeds per plant and also spreads by rhizomes. Outcompetes native plants and provides little habitat for native animals



Habitat: Wetlands, streams, lakeshores and wet pastures. Fairly widespread in King County.

Control: Dig or pull plants in soft soil or cut plants at base to prevent seed formation. Herbicide should only be applied by a licensed aquatic herbicide

applicator unless the plants are growing away from the water. Always throw this plant in the trash, never in compost or yard waste.

Look-alikes: Hardhack (*Spiraea douglasii*) is a native woody shrub with spikes of fuzzy pink flowers and wider, alternate leaves. Fireweed (*Epilobium angustifolium*) is a tall upland native perennial with more open spikes of flowers and alternate leaves. Plants in the mint family have square stems, but the leaves are usually toothed.

Legal Status: Class B, control required in King County.





Reed Canarygrass Phalaris arundinacea

Identification: Bright green wetland grass up to six feet tall. Leaves stick out at a wide angle from the stem (like corn) and have a large ligule (thin membrane on stem where the leaf attaches), Flower spikes held high above leaves on tall stems. Forms large, dense stands. Can be found year round.

Impacts: Highly invasive grass. Clogs streams and ditches, destroys wetland restoration sites, degrades wildlife habitat.



Habitat: Wet pastures, ditches, wetlands and shorelines. Common and widespread.

Control: The best long-term control is to shade it out, since it does not do well without full sun. Mowing can reduce its impact but will not kill it. Herbicide should only be applied by a licensed aquatic herbicide applicator unless the plants are growing away from the water. Mowing first and spraying regrowth can be effective.

Look-alikes: Many other grasses, but tends to be taller, more robust and more dense in growth than other grasses

that grow in wet areas.

Legal Status: Non-regulated noxious weed, control not required in King County.







Reed Sweetgrass Glyceria maxima

Identification: Tall aquatic grass with variegated (green and white striped) leaves to 8.5 feet tall. Striped leaves are very distinctive. Emerges in June, flowers in July and August.

Impacts: Forms dense monocultures in shallow water around lakes, in ponds and along streams.

Habitat: Freshwater lakes, wetlands and river corridors. Known to occur in only a few isolated locations in Washington.



Control: Not realistic to control by hand due to six-foot-deep rhizome mass. Prevent seed production by cutting before seeds mature. Licensed applicators can use an aquatic non-selective herbicide such as glyphosate with appropriate permits. Spraying is most effective when flowers are first forming.

Look-alikes: Variegated reed canary grass and native Glyceria grasses are similar. Other ornamental grasses are variegated but don't grow in the water. Get positive identification before controlling.

Legal status: Class A, eradication required in King County.









Yellow Flag lris lris pseudacorus

Identification: Large yellow iris that grows in water. Bright showy flower, tall leaves in folded, fan-like clusters. Dense rhizomes. Blooms late April through June.

Impacts: Forms impenetrable mats. Outcompetes native plants and degrades habitat of native animals. Accumulates sediment and fills in waterways.



Habitat: Lakeshores, wetlands and creeks. Common and widespread in King County.

Control: Difficult to control by hand. Often requires repeated use of

heavy tools such as pick-axes or hatchets to remove sections of rhizome. Herbicide should only be applied by a licensed aquatic herbicide applicator unless the plants are growing away from the water. Spray or wipe actively growing plants with a systemic herbicide.

Look-alikes: Cattail (*Typha latifolia*) leaves are not flattened and folded like iris. Nothing else that grows in water looks like it in bloom.



Legal Status:

Non-regulated noxious weed, control not required in King County.





Floating Primrose-willow and Water Primrose Ludwigia peploides, Ludwigia hexapetala

Identification: Low growing perennial that forms mats in water up to 10 feet deep. Showy yellow five-petalled flowers in leaf axils, smooth-margined alternate leaves, prostrate stems float on water. Blooms late July to August.



Impacts: Clogs waterways, impedes recreation. Ecological pest that outcompetes native plants.

Habitat: Freshwater wetlands and ponds. In King County there is one floating primrose-willow infestation on a tributary to the Cedar River and one water primrose infestation in a private pond in Renton.

Control: Hand pull or rake up small infestations, being sure to get as many roots as possible (roots will resprout). Herbicide can only be applied by a licensed aquatic herbicide applicator.

Look-alikes: The native water purslane (*Ludwigia palustris*) has inconspicuous green flowers and opposite leaves. No wetland native has showy yellow flowers like this.

Legal Status: Class A and B, control required in King County.








Parrotfeather *Myriophyllum aquaticum*

Identification: Spikes of feathery leaves emerging up to a foot above the water. Looks like miniature pine trees or horsetails growing on the water's surface. Emerges in late May and persists into October.

Impacts: Clogs irrigation canals and slow-flowing streams and rivers, filling entire

water column. Harms recreation, wildlife habitat, and native plants.



Control: Very difficult to eradicate. Pull or rake, being very careful to remove all fragments from the water. Manual control requires persistence over many years. Herbicide can only be applied by a licensed aquatic herbicide applicator.

Look-alikes: Underwater stems resemble other milfoil species, but above water stems are very distinctive and hard to confuse with anything else. Horsetail is similar but larger and doesn't grow in water.

Legal Status: Class B, control required in

King County.







Fragrant Water Lily Nymphaea odorata

Identification: Round floating leaves ("lily pads") with the stem attached at a slit in one side. Showy flowers are usually white to pink. Leaves are round and stay floating even as the water level drops (the stems are not stiff like our native pondlily). Leaves emerge in spring and persist until fall. Flowers



continuously bloom from June through October.

Impacts: Forms dense mats on the water surface that impede recreation, create ideal mosquito breeding areas, and can alter water quality by increasing water temperature and decreasing dissolved oxygen. Plant dieback in the fall can contribute to algae blooms.

Habitat: Lakes, ponds, slow-moving water up to eight feet deep. Widespread and common in King County.

Control: Long, stout rhizomes are difficult to remove. Pull plants or use bottom barriers to maintain small areas of open water. Use hand or mechanical weed cutters to clear larger areas, making sure to remove cut plants from water. Persistent pulling over several years can result in eradication. Herbicide can be applied by a licensed aguatic herbicide applicator.

Look-alikes: Native yellow pondlily (*Nuphar lutea*) has ball-shaped yellow flowers and large, heart-shaped leaves that stick up as the water level lowers. The native watershield (*Brasenia schreberi*) has oval leaves with no slit, stem attached at center of leaf, and lower leaf surface and stem covered in a slippery gelatinous substance.

Legal Status: Non-regulated noxious weed, control not required in King County.








Yellow Floating Heart Nymphoides peltata

Identification: Floating, bottom-rooted perennial with several leaves per stem. The small (3-10 cm) floating leaves are nearly round to heart-shaped with wavy leaf margins and purplish undersides. One to five flowers per stalk are held above the water surface, and they are bright yellow with five distinctly fringed petals. Blooms June thourgh August.




Impacts: Forms dense mats on the water surface that impede recreation, create ideal mosquito breeding areas, and can alter water quality by increasing water temperature and decreasing dissolved oxygen.

Habitat: Wetlands, lakes, ponds, slow-moving water up to 12-feet deep, also can grow in wet mud.

Control: Hand pulling can work with small infestations, but plant fragments will form new plants. Herbicide is effective and can be applied by a licensed aquatic herbicide applicator.

Look-alikes: The native yellow pondlily (*Nuphar lutea*) has ball-shaped yellow flowers and large, heart-shaped leaves that are held out of the water as the water recedes. The native watershield (*Brasenia schreberi*) has oval leaves with no slit, stem attached at the center of leaf, and lower leaf surface and stem covered in a slippery gelatinous substance.







Brazilian Elodea Egeria densa

Identification: Long-stemmed submerged perennial with non-toothed leaves in whorls of four (up to six) and small white, three-petalled floating flowers. Can top out and form mats on the surface. Blooms in summer

Impacts: Spreads rapidly by fragmentation, clogs waterways, impedes recreation, outcompetes native species, reduces fish habitat, can alter water quality.

Habitat: Lakes, ponds, slow-moving water up to 30 feet deep. Known infestations in lakes Union, Washington, Sammamish, Fenwick and Dolloff.

Control: Clean fragments from boats, motors and trailers to prevent spread. Small areas can be cleared by hand-pulling, taking care to remove all plant fragments from the water. Herbicide can only be applied by a licensed aguatic herbicide applicator.

Look-alikes: Hydrilla (*Hydrilla verticillata*) has visibly toothed leaves in whorls of five and grows from tubers. The native American waterweed (*Elodea canadensis*) has smaller leaves in whorls of three.

Legal Status: Class B, control required only in selected areas where it is not already well established













Eurasian Watermilfoil Myriophyllum spicatum

Identification: Feathery underwater leaves, long reddish or green stems and small emergent spikes of tiny flowers. Can top out and form mats on the surface. Leaf "feathers" have more than 14 leaflet pairs and leaves collapse against stem when plant is removed from water. Blooms in summer.

Impacts: Spreads rapidly by fragmentation, clogs waterways, impedes recreation, outcompetes native species, reduces fish habitat, can alter water quality.

Habitat: Lakes, ponds, slow-moving rivers up to 20-feet deep. Fairly common in King County.

Control: Clean fragments from boats, motors and trailers to prevent spread. Hand pull small infestations, taking care to remove all plant fragments from the water. Dense, whole-lake infestations can be mowed with a mechanical harvester to maintain open water (not recommended for partially infested water bodies). Herbicide can be applied by a licensed aquatic herbicide applicator.

generally have fewer than 14 leaflet pairs

Control Program for verification.

Look-alikes: Native milfoil species, which and hold their shape out of water, and







Legal Status: Non-regulated noxious weed, control not required in King County.

variable-leaf milfoil (Myriophyllum heterophyllum), a Class A noxious weed not known in King County. All milfoils can be difficult to tell apart. If you think you have an invasive milfoil, contact the King County Noxious Weed

Fanwort Cabomba caroliniana

Identification: Submerged plant with opposite, finely divided fan-shaped leaves on longish stalks and showy pink or white flowers held above the surface of the water.

Impacts: Spreads rapidly by fragmentation, clogs waterways, impedes recreation, outcompetes

native species, reduces fish habitat, can alter water quality.



Habitat: Lakes, ponds, ditches, slow-moving water up to 30 feet deep. Not currently known from King County. Only known infestation in Washington is in channels off the Columbia River around Longview and Kelso.

Control: Clean fragments from boats, motors and trailers to prevent spread. Hand pull small infestations, taking care to remove all plant fragments from the water. Herbicide can be applied by a licensed aquatic herbicide applicator. Contact the King County Noxious Weed Control Program if you find this plant.

Look-alikes: Several native aquatic plants.
Coontail (*Ceratophyllum demersum*) has divided leaves that are whorled around the stem. Marsh marigold (*Megalodonta beckii*) and water buttercup (*Ranunculus aquatilis*) both have similar looking submerged leaves, but they are smaller and alternate on the stem. Common bladderwort (*Utricularia vulgaris*) has conspicuous

Legal Status: Class B, control required in King County.

round bladders attached to the leaves.







Hydrilla *Hydrilla verticillata*

Identification: Long-stemmed, submerged, perennial with visibly toothed leaves in whorls of five. Flowers inconspicuous. Grows from small tubers.

Impacts: One of the top 10 federally listed noxious weeds. Spreads rapidly by fragmentation, clogs waterways, impedes recreation, outcompetes native species, reduces fish habitat, alters water quality. Extremely aggressive and persistent.


Habitat: Lakes, ponds, ditches, slow-moving water up to 30 feet deep.

The only known historical infestation in Washington State was in Pipe and Lucerne lakes in Maple Valley/Covington.

Control: If you find this plant, call the King County Noxious Weed Control Program immediately. Very difficult to eradicate.

Look-alikes: Brazilian elodea (*Egeria densa*) has smooth-edged leaves in whorls of four. American waterweed (*Elodea canadensis*) has smooth-edged leaves in whorls of three.

Legal Status: Class A, eradication required in King County.










What services does the county weed program provide to county residents?

- Early detection and eradication of pioneering infestations of high-priority noxious weeds
- Weed surveys and consultations
- Best Management Practices and fact sheets for noxious weeds in the county
- Cooperative Weed Management Area coordination



- Training and coordination of Weed Watcher volunteers to monitor lakes for noxious weeds
- Presentations and slide shows on weed identification and control

What can property owners do?

Prevent weed infestations:

- Follow noxious weed laws and guarantines
- Never put non-native plants or aquarium contents into a natural water body
- Choose non-invasive species for gardens
- Clean boats, trailers, boots, and other equipment before moving between water or wetlands
- Become a Weed Watcher and help find new invaders

Control weed infestations:

- Obtain necessary permits before working in water
- Use integrated pest management and control weeds safely and appropriately





- Follow Best Management Practices for aquatic weeds
- Properly dispose of noxious weeds and weed seeds
- Contact the noxious weed program if you are unsure about what to do
- Monitor the area and follow up as needed to keep the weeds out after the first year of control



Contact us with questions and concerns: www.kingcounty.gov/weeds or 206-477-9333.

Resources for additional information

King County Noxious Weed Control Program, www.kingcounty.gov/weeds or 206-477-9333

Washington State Department of Ecology, Aquatic Plants, Algae and Lakes, http://wdfw.wa.gov/licensing/aquatic_plant_removal

Washington State Department of Fish and Wildlife: Aquatic Plants and Fish, http://wdfw.wa.gov/publications/00713/wdfw00713.pdf or 360-902-2534

Center for Aquatic and Invasive Plants, University of Florida http://plants.ifas.ufl.edu/

An Aquatic Plant Identification Manual for Washington's Freshwater Plants, Washington State Department of Ecology, June 2001, Publication 01-10-032, www.ecy.wa.gov/programs/wg/plants/plantid2/

A Field Guide to the Common Wetland Plants of Western Washington and Northwestern Oregon, Sarah Spear Cooke, Editor, Seattle Audubon Society, 1997.

Aquatic and Riparian Weeds of the West,

Joseph M. DiTomaso and Evelyn A. Healy, University of California Agriculture and Natural Resources, 2003, Publication 3421.

Wetland and aquatic plants whose sales are prohibited in Washington State

"The Quarantine List"

Australian swamp stonecrop Brazilian elodea Cordgrass, common Cordgrass, dense-flowered Cordgrass, salt meadow Cordgrass, smooth Gelta arrowhead European frog-bit flowering rush floaing primrose-willow bydrilla marsh dew flower mud mat parrotfeather purple loosestrife reed sweetgrass, tall manna grass ricefield bulrush slender-leaved naiad, brittle naiad sordgrass, smooth Spartina anglica Spartina patens Spartina patens Sagittaria platyphylla Myriophyllum spicatum Hydrocharis morsus-rana Cabomba caroliniana Butomus umbellatus Ludwigia peploides Lysimachia vulgaris Sagittaria graminea Sagittaria graminea Ficilobium hirsutum Hydrilla verticillata Murdannia keisak Murdannia keisak Murdannia keisak Myriophyllum aquaticum Lythrum salicaria Glyceria maxima Schoenoplectus mucronatus Schoenoplectus mucronatus Najas minor Utricularia inflata Myriophyllum heterophyllum Variable-leaf milfoil Myriophyllum heterophyllum Variable-leaf milfoil Wariophyllum heterophyllum Variable-leaf milfoil Myriophyllum heterophyllum Trapa natans Ludwigia hexapetala Stratiotes aloides Vumphoides peltata	COMMON NAME	SCIENTIFIC NAME
Cordgrass, common Cordgrass, dense-flowered Cordgrass, dense-flowered Cordgrass, salt meadow Cordgrass, smooth Cordgrass, smooth Spartina patens Sagittaria platyphylla Eurasian watermilfoil Myriophyllum spicatum European frog-bit Hydrocharis morsus-rana fanwort Cabomba caroliniana flowering rush floating primrose-willow Garden loosestrife Uysimachia vulgaris Grass-leaved arrowhead Sagittaria graminea hairy willow herb Hydrilla Hydrilla verticillata Marsh dew flower Murdannia keisak Murdannia keisak Murdannia keisak Murdannia keisak Myriophyllum aquaticum purple loosestrife Uythrum salicaria Feed sweetgrass, tall manna grass Ficefield bulrush Schoenoplectus mucronatus Schoenoplectus mucronatus Schoenoplectus mucronatus Variable-leaf milfoil Myriophyllum heterophyllum Warden osestrife Uythrum virgatum Trapa natans Water caltrap, devil's pod, bat nut Water chestnut, bull nut Trapa natans Water primrose Ludwigia hexapetala Stratiotes aloides	African elodea	Lagarosiphon major
cordgrass, common cordgrass, dense-flowered cordgrass, salt meadow cordgrass, salt meadow cordgrass, smooth delta arrowhead Eurasian watermilfoil European frog-bit flowering rush floating primrose-willow garden loosestrife grass-leaved arrowhead bairy willow herb hydrilla marsh dew flower mud mat parrotfeather purple loosestrife reed sweetgrass, tall manna grass ricefield bulrush slender-leaved naiad, brittle naiad swollen bladderwort water caltrap, devil's pod, bat nut water chestnut, bull nut water soldier Sagittaria anglica Sagittaria patens Sagittaria platyphylla Myriophyllum spicatum Lydrocharis morsus-rana fanwort Cabomba caroliniana Butomus umbellatus Ludwigia peploides Lysimachia vulgaris Sagittaria graminea Sagittaria graminea Lysimachia vulgaris Sagittaria graminea Myriophyllum hirsutum Hydrilla verticillata Myriophyllum aquaticum Lythrum salicaria Glyceria maxima Schoenoplectus mucronatus Najas minor Utricularia inflata Uytricularia inflata Vyriophyllum heterophyllum Lythrum virgatum Trapa natans Vater caltrap, devil's pod, bat nut Virious in floata Virious in floata Virious in floata Virious in floata Viriophyllum heterophyllum Lythrum virgatum Viriophyllum heterophyllum	Australian swamp stonecrop	Crassula helmsii
cordgrass, dense-flowered cordgrass, salt meadow cordgrass, salt meadow cordgrass, smooth delta arrowhead Eurasian watermilfoil European frog-bit floating primrose-willow garden loosestrife grass-leaved arrowhead bydrilla marsh dew flower mud mat parrotfeather purple loosestrife reed sweetgrass, tall manna grass ricefield bulrush slender-leaved naiad, brittle naiad swollen bladderwort water caltrap, devil's pod, bat nut water chestnut, bull nut water soldier Spartina densiflora Spartina densiflora Spartina densiflora Spartina patens Sp	Brazilian elodea	Egeria densa
cordgrass, salt meadow cordgrass, smooth delta arrowhead Eurasian watermilfoil European frog-bit fanwort flowering rush floating primrose-willow garden loosestrife grass-leaved arrowhead hairy willow herb hydrilla marsh dew flower mud mat parrotfeather purple loosestrife reed sweetgrass, tall manna grass ricefield bulrush slender-leaved naiad, brittle naiad swollen bladderwort water caltrap, devil's pod, bat nut water soldier European frog-bit Myriophyllum spicatum Myriophyllum spicatum Lydrocharis morsus-rana Cabomba caroliniana Myriophyllum umbellatus Ludwigia peploides Lysimachia vulgaris Sagittaria graminea Lysimachia vulgaris Sagittaria graminea Lydrilla verticillata Murdannia keisak Murdannia keisak Glossostigma diandrum Myriophyllum aquaticum Lythrum salicaria Glyceria maxima Schoenoplectus mucronatus Najas minor Utricularia inflata Variable-leaf milfoil Myriophyllum heterophyllum Lythrum virgatum Trapa natans Vater primrose Ludwigia hexapetala Sagittaria platyphylla Myriophyllum heterophyllum Trapa natans Vater soldier Stratiotes aloides	cordgrass, common	Spartina anglica
cordgrass, smooth delta arrowhead Eurasian watermilfoil European frog-bit fanwort flowering rush floating primrose-willow garden loosestrife grass-leaved arrowhead hairy willow herb hydrilla marsh dew flower mud mat parrotfeather purple loosestrife reed sweetgrass, tall manna grass ricefield bulrush slender-leaved naiad, brittle naiad swollen bladderwort water caltrap, devil's pod, bat nut water chestnut, bull nut European frog-bit Myriophyllum spicatum Myriophyllum spicatum Lydrionau Myriophyllum aquaticum Lythrum salicaria Myriophyllum heterophyllum Myriophyllum heterophyllum Lythrum virgatum Trapa natans Water soldier Sagittaria platyphylla Lydwigia peloides Lysimachia vulgaris Lysimachia vulgaris Lysimachia vulgaris Sagittaria graminea Lysimachia vulgaris Lysimachia vulgaris Gagittaria preploides Lythrum salicaria Glossostigma diandrum Najas minor Utricularia inflata Variable-leaf milfoil Myriophyllum heterophyllum Lythrum virgatum Trapa natans Vater soldier Stratiotes aloides	cordgrass, dense-flowered	Spartina densiflora
delta arrowhead Eurasian watermilfoil Myriophyllum spicatum European frog-bit fanwort Cabomba caroliniana flowering rush floating primrose-willow garden loosestrife grass-leaved arrowhead hairy willow herb hydrilla Myriophyllum aquaticum parrotfeather purple loosestrife reed sweetgrass, tall manna grass ricefield bulrush slender-leaved naiad, brittle naiad swollen bladderwort Water caltrap, devil's pod, bat nut water chestnut, bull nut European frog-bit Myriophyllum spicatum Hydrocharis morsus-rana Cabomba caroliniana Hydrocharis morsus-rana Ludwigia peploides Lysimachia vulgaris Sagittaria graminea Lysimachia vulgaris Sagittaria graminea Myriophium hirsutum Myrdannia keisak Murdannia keisak Murdannia keisak Myriophyllum aquaticum Lythrum salicaria Glyceria maxima Schoenoplectus mucronatus Najas minor Utricularia inflata Myriophyllum heterophyllum Lythrum virgatum Trapa bicornus Trapa natans Water primrose Ludwigia hexapetala Stratiotes aloides	cordgrass, salt meadow	Spartina patens
Eurasian watermilfoil European frog-bit fanwort Cabomba caroliniana flowering rush floating primrose-willow garden loosestrife grass-leaved arrowhead hairy willow herb hydrilla marsh dew flower mud mat parrotfeather purple loosestrife reed sweetgrass, tall manna grass ricefield bulrush slender-leaved naiad, brittle naiad swollen bladderwort water caltrap, devil's pod, bat nut water chestnut, bull nut flowering rush Hydrocharis morsus-rana Lysimachia vulgaris Sagittaria graminea Hydrilla verticillata Myriala verticillata Murdannia keisak Glossostigma diandrum Myriophyllum aquaticum Lythrum salicaria Glyceria maxima Schoenoplectus mucronatus Najas minor Utricularia inflata Myriophyllum heterophyllum Lythrum virgatum Trapa bicornus Trapa natans Water primrose Ludwigia hexapetala Stratiotes aloides	cordgrass, smooth	Spartina alterniflora
European frog-bit fanwort Cabomba caroliniana flowering rush floating primrose-willow garden loosestrife grass-leaved arrowhead hairy willow herb hydrilla marsh dew flower mud mat parrotfeather purple loosestrife reed sweetgrass, tall manna grass ricefield bulrush slender-leaved naiad, brittle naiad swollen bladderwort water caltrap, devil's pod, bat nut water soldier Floating morsus-rana Ludwigia morsus-rana Ludwigia peploides Lysimachia vulgaris Sagittaria graminea Lysimachia vulgaris Sagittaria graminea Lytaum hirsutum Myrdilla verticillata Murdannia keisak Murdannia keisak Murdannia keisak Myriophyllum aquaticum Lythrum salicaria Glyceria maxima Schoenoplectus mucronatus Najas minor Utricularia inflata Vyriophyllum heterophyllum Lythrum virgatum Trapa bicornus Trapa natans Ludwigia hexapetala Stratiotes aloides	delta arrowhead	Sagittaria platyphylla
flowering rush floating primrose-willow garden loosestrife grass-leaved arrowhead hairy willow herb hydrilla marsh dew flower mud mat parrotfeather purple loosestrife reed sweetgrass, tall manna grass ricefield bulrush slender-leaved naiad, brittle naiad swollen bladderwort variable-leaf milfoil water caltrap, devil's pod, bat nut water chestnut, bull nut floatse salidarius Butomus umbellatus Ludwigia peploides Lysimachia vulgaris Sagittaria graminea Lysimachia vulgaris Sagittaria graminea Lydrilla verticillata Myriophyllum hirsutum Myriophyllum aquaticum Lythrum salicaria Glossostigma diandrum Myriophyllum aquaticum Lythrum salicaria Glyceria maxima Schoenoplectus mucronatus Najas minor Utricularia inflata Myriophyllum heterophyllum Lythrum virgatum Trapa bicornus Trapa natans Ludwigia hexapetala Stratiotes aloides	Eurasian watermilfoil	Myriophyllum spicatum
flowering rush floating primrose-willow garden loosestrife grass-leaved arrowhead hairy willow herb hydrilla marsh dew flower mud mat parrotfeather purple loosestrife reed sweetgrass, tall manna grass ricefield bulrush slender-leaved naiad, brittle naiad swollen bladderwort variable-leaf milfoil water caltrap, devil's pod, bat nut water chestnut, bull nut marsh dew flower Murdannia keisak Murdannia keisak Murdannia keisak Murdannia keisak Myriophyllum aquaticum Lythrum salicaria Glyceria maxima Schoenoplectus mucronatus Najas minor Utricularia inflata Myriophyllum heterophyllum Trapa bicornus Trapa natans Water caltrap, devil's pod, bat nut water soldier Stratiotes aloides	European frog-bit	Hydrocharis morsus-rana
floating primrose-willow garden loosestrife grass-leaved arrowhead hairy willow herb hydrilla marsh dew flower mud mat parrotfeather purple loosestrife reed sweetgrass, tall manna grass ricefield bulrush slender-leaved naiad, brittle naiad swollen bladderwort variable-leaf milfoil water caltrap, devil's pod, bat nut water chestnut, bull nut grass-leaved arrowhead Lysimachia vulgaris Sagittaria graminea Lydrilla verticillata Myrdrilla verticillata Myrdrilla verticillata Myrdannia keisak Glossostigma diandrum Myriophyllum aquaticum Lythrum salicaria Glyceria maxima Schoenoplectus mucronatus Najas minor Utricularia inflata Myriophyllum heterophyllum Lythrum virgatum Trapa bicornus Trapa natans Ludwigia hexapetala Stratiotes aloides	fanwort	Cabomba caroliniana
garden loosestrife grass-leaved arrowhead hairy willow herb hydrilla marsh dew flower mud mat parrotfeather purple loosestrife reed sweetgrass, tall manna grass ricefield bulrush slender-leaved naiad, brittle naiad swollen bladderwort variable-leaf milfoil water caltrap, devil's pod, bat nut water chestnut, bull nut grass-leaved arrowhead Sagittaria graminea Epilobium hirsutum Hydrilla verticillata Murdannia keisak Murdannia keisak Glossostigma diandrum Myriophyllum aquaticum Lythrum salicaria Glyceria maxima Schoenoplectus mucronatus Najas minor Utricularia inflata Myriophyllum heterophyllum Lythrum virgatum Trapa bicornus Trapa natans Ludwigia hexapetala Stratiotes aloides	flowering rush	Butomus umbellatus
grass-leaved arrowhead hairy willow herb hydrilla marsh dew flower mud mat parrotfeather purple loosestrife reed sweetgrass, tall manna grass ricefield bulrush slender-leaved naiad, brittle naiad swollen bladderwort variable-leaf milfoil wand loosestrife Lythrum salicaria Glyceria maxima Schoenoplectus mucronatus Najas minor Utricularia inflata Myriophyllum heterophyllum Water caltrap, devil's pod, bat nut water riceping being trapa bicornus Trapa natans Ludwigia hexapetala water soldier Stratiotes aloides	floating primrose-willow	Ludwigia peploides
hairy willow herb hydrilla Hydrilla verticillata marsh dew flower mud mat parrotfeather purple loosestrife reed sweetgrass, tall manna grass ricefield bulrush slender-leaved naiad, brittle naiad swollen bladderwort variable-leaf milfoil wand loosestrife Water caltrap, devil's pod, bat nut water chestnut, bull nut Mydrilla verticillata Myriophyllum aquaticum Lythrum salicaria Glyceria maxima Schoenoplectus mucronatus Najas minor Utricularia inflata Myriophyllum heterophyllum Lythrum virgatum Trapa bicornus Trapa natans Water primrose Ludwigia hexapetala water soldier Stratiotes aloides	garden loosestrife	Lysimachia vulgaris
hydrilla Hydrilla verticillata marsh dew flower mud mat parrotfeather purple loosestrife reed sweetgrass, tall manna grass ricefield bulrush slender-leaved naiad, brittle naiad swollen bladderwort variable-leaf milfoil wand loosestrife Water caltrap, devil's pod, bat nut water primrose water soldier Hydrilla verticillata Myriophyllum aquaticum Lythrum salicaria Glyceria maxima Schoenoplectus mucronatus Najas minor Utricularia inflata Myriophyllum heterophyllum Lythrum virgatum Trapa bicornus Trapa natans Ludwigia hexapetala Stratiotes aloides	grass-leaved arrowhead	Sagittaria graminea
marsh dew flower mud mat parrotfeather purple loosestrife reed sweetgrass, tall manna grass ricefield bulrush slender-leaved naiad, brittle naiad swollen bladderwort variable-leaf milfoil wand loosestrife Water caltrap, devil's pod, bat nut water primrose water soldier Murdannia keisak Glossostigma diandrum Myriophyllum aquaticum Lythrum salicaria Glyceria maxima Schoenoplectus mucronatus Najas minor Utricularia inflata Myriophyllum heterophyllum Lythrum virgatum Trapa bicornus Trapa natans Ludwigia hexapetala Stratiotes aloides	hairy willow herb	Epilobium hirsutum
mud mat parrotfeather purple loosestrife reed sweetgrass, tall manna grass ricefield bulrush slender-leaved naiad, brittle naiad swollen bladderwort variable-leaf milfoil wand loosestrife Water caltrap, devil's pod, bat nut water primrose water soldier Myriophyllum aquaticum Lythrum salicaria Glyceria maxima Schoenoplectus mucronatus Najas minor Utricularia inflata Myriophyllum heterophyllum Lythrum virgatum Trapa bicornus Trapa natans Ludwigia hexapetala Stratiotes aloides	hydrilla	Hydrilla verticillata
parrotfeather purple loosestrife reed sweetgrass, tall manna grass ricefield bulrush slender-leaved naiad, brittle naiad swollen bladderwort variable-leaf milfoil wand loosestrife water caltrap, devil's pod, bat nut water primrose water soldier Myriophyllum aquaticum Lythrum salicaria Schoenoplectus mucronatus Najas minor Utricularia inflata Myriophyllum heterophyllum Lythrum virgatum Trapa bicornus Trapa natans Ludwigia hexapetala Stratiotes aloides	marsh dew flower	Murdannia keisak
purple loosestrife reed sweetgrass, tall manna grass ricefield bulrush slender-leaved naiad, brittle naiad swollen bladderwort variable-leaf milfoil wand loosestrife water caltrap, devil's pod, bat nut water chestnut, bull nut water soldier Lythrum virgatum Trapa bicornus Trapa natans Ludwigia hexapetala water soldier Lythrum virgatum Trapa natans Ludwigia hexapetala Stratiotes aloides	mud mat	Glossostigma diandrum
reed sweetgrass, tall manna grass ricefield bulrush slender-leaved naiad, brittle naiad swollen bladderwort variable-leaf milfoil wand loosestrife water caltrap, devil's pod, bat nut water chestnut, bull nut water soldier Glyceria maxima Schoenoplectus mucronatus Najas minor Utricularia inflata Myriophyllum heterophyllum Lythrum virgatum Trapa bicornus Trapa natans Ludwigia hexapetala Stratiotes aloides	parrotfeather	Myriophyllum aquaticum
ricefield bulrush slender-leaved naiad, brittle naiad swollen bladderwort variable-leaf milfoil wand loosestrife water caltrap, devil's pod, bat nut water primrose water soldier Schoenoplectus mucronatus Najas minor Utricularia inflata Myriophyllum heterophyllum Lythrum virgatum Trapa bicornus Trapa natans Ludwigia hexapetala Stratiotes aloides	purple loosestrife	Lythrum salicaria
slender-leaved naiad, brittle naiad swollen bladderwort Utricularia inflata variable-leaf milfoil Myriophyllum heterophyllum wand loosestrife Lythrum virgatum water caltrap, devil's pod, bat nut water chestnut, bull nut Trapa natans water primrose Ludwigia hexapetala water soldier Stratiotes aloides	reed sweetgrass, tall manna grass	Glyceria maxima
swollen bladderwort variable-leaf milfoil wand loosestrife water caltrap, devil's pod, bat nut water chestnut, bull nut water primrose water soldier Witricularia inflata Myriophyllum heterophyllum Lythrum virgatum Trapa bicornus Trapa natans Ludwigia hexapetala Stratiotes aloides	ricefield bulrush	Schoenoplectus mucronatus
variable-leaf milfoilMyriophyllum heterophyllumwand loosestrifeLythrum virgatumwater caltrap, devil's pod, bat nutTrapa bicornuswater chestnut, bull nutTrapa natanswater primroseLudwigia hexapetalawater soldierStratiotes aloides	slender-leaved naiad, brittle naiad	Najas minor
wand loosestrife Lythrum virgatum water caltrap, devil's pod, bat nut Trapa bicornus water chestnut, bull nut Trapa natans water primrose Ludwigia hexapetala water soldier Stratiotes aloides		Utricularia inflata
water caltrap, devil's pod, bat nutTrapa bicornuswater chestnut, bull nutTrapa natanswater primroseLudwigia hexapetalawater soldierStratiotes aloides	variable-leaf milfoil	Myriophyllum heterophyllum
water chestnut, bull nutTrapa natanswater primroseLudwigia hexapetalawater soldierStratiotes aloides	wand loosestrife	Lythrum virgatum
water primroseLudwigia hexapetalawater soldierStratiotes aloides	water caltrap, devil's pod, bat nut	Trapa bicornus
water soldier Stratiotes aloides	water chestnut, bull nut	Trapa natans
	water primrose	Ludwigia hexapetala
vellow floating heart Nymphoides peltata	water soldier	Stratiotes aloides
J. J	yellow floating heart	Nymphoides peltata

Current quarantine list and more information and photos can be found at Washington State Noxious Weed Control Board, **www.nwcb.wa.gov**

Index

Common and Scientific Names

Brazilian Elodea, 20

Butomus umbellatus, 9

Cabomba caroliniana, 22

Common Reed, 7

Cordgrass, 8

Egeria densa, 20

Epilobium hirsutum, 11

Eurasian Watermilfoil, 21

Fanwort, 22

Floating Primrose-willow, 16

Flowering Rush, 9

Fragrant Water Lily, **18**

Garden Loosestrife, 10

Glyceria maxima, 14

Hairy Willowherb, **11**

Hydrilla, 23

Hydrilla verticillata, 23

Iris pseudacorus, 15

Ludwigia hexapetala, 16

Ludwigia peploides, 16

Lythrum salicaria, 12

Myriophyllum aquaticum, 17

Myriophyllum spicatum, 21

Nymphaea odorata, 18

Nymphoides peltata, 19

Parrotfeather, 17

Phalaris arundinacea, 13

Phragmites australis, 7

Purple Loosestrife, 12

Reed Canarygrass, 13

Reed Sweetgrass, 14

Spartina alterniflora, 8

Spartina anglica, 8

Spartina densiflora, 8

Spartina patens, 8

Water Primrose, 16

Yellow Flag Iris, 15

Yellow Floating Heart, **19**

